

## CLAIMS

What is claimed is:

1. An attachable alarm system for strollers for alerting parents and bystanders that a child is potentially being abducted comprising, in combination:

an alarm receiver having a housing, the housing having an upper end, a lower end, a front wall, a back wall, and opposed side walls, the alarm receiver having a speaker system for broadcasting an audible alarm, the alarm receiver including a first reset mechanism and a second reset mechanism, the first reset mechanism being comprised of a combination keypad disposed on the upper end of the housing, the second reset mechanism being comprised of a key receiving slot disposed on the upper end of the housing, the front wall of the housing having a window disposed therein;

a clamp mechanism extending upwardly from the upper wall of the housing of the alarm receiver, the clamp mechanism being fixedly securable to a handle of a baby stroller;

an ankle securement bracelet adapted for securement around an ankle of a small child, the bracelet having a lock disposed thereon, the ankle securement bracelet having a chain extending outwardly therefrom with a free end thereof securing to a lower end of the housing of the alarm receiver; and



a transmitter in communication with the alarm receiver, the transmitter including activation and deactivation buttons, the transmitter including a key portion, the key portion being receivable by the key receiving slot of the alarm receiver and the lock of the ankle securement bracelet.

2. An attachable alarm system for strollers for alerting parents and bystanders that a child is potentially being abducted comprising, in combination:

an alarm receiver disposed within a housing, the alarm receiver having a speaker system for broadcasting an audible alarm, the alarm receiver including a first reset mechanism and a second reset mechanism;

a clamp mechanism extending upwardly from the upper wall of the housing of the alarm receiver, the clamp mechanism being fixedly securable to a handle of a baby stroller; and

a transmitter in communication with the alarm receiver, the transmitter including activation and deactivation buttons.

3. The attachable alarm system for strollers as set forth in claim 2 wherein the first reset mechanism of the alarm receiver is comprised of a combination keypad disposed on an upper end of the housing.



4. The attachable alarm system for strollers as set forth in claim 2 wherein the second reset mechanism of the alarm receiver is comprised of a key receiving slot disposed on an upper end of the housing.

5. The attachable alarm system for strollers as set forth in claim 2 wherein a front wall of the housing has a window disposed therein.

6. The attachable alarm system for strollers as set forth in claim 2 and further including an ankle securement bracelet adapted for securement around an ankle of a small child, the bracelet having a lock disposed thereon, the ankle securement bracelet having a chain extending outwardly therefrom with a free end thereof securing to a lower end of the housing of the alarm receiver.

7. The attachable alarm system for strollers as set forth in claim 6 wherein the transmitter includes a key portion, the key portion being receivable by the key receiving slot of the alarm receiver and the lock of the ankle securement bracelet.